CERTIFICATE OF MAILING under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage via *First Class Mail* in an envelope addressed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Registration Number

on August 3, 2005
Date

Could Signature

Rochelle K. Seide, Ph.D.

Typed or printed name of person signing Certificate

32,300 (212) 484-3945

Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper

Telephone Number

This collection of information is required by 37 CFR 1.8. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1.8 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Appln. No. 10/695,194

Reply to Office Action of May 4, 2005

Response dated August 3, 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.

: 10/695,194

Confirmation No.: 4418

Applicant.

: HOCHSTRASSER et al.

Filed

October 28, 2003

TC/A.U.

: 1645

Examiner

Rodney P. Swartz

Docket No.

108140.00030

Customer No.

38485

For

: DIAGNOSTIC METHOD FOR TRANSMISSIBLE

ENCEPHALOPATHIES

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

RESPONSE

Sir:

This paper is submitted in response to the Office action dated May 4, 2005.

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected on page 9 of this paper.

Amendments to the Drawings begin on page 18 of this paper.

Remarks begin on page 19 of this paper.

An Appendix including replacement drawings is attached.